

DAE V-75n

Vertical Water Meter, Rotating Register, 3/4" NPT Couplings, Measuring in Gallons

[Specification]

Model	V-75n
Type	5/8"*3/4" Vertical Water Meter, Rotating Register for convenient viewing, Measuring in Gallons + 3/4" NPT Couplings.
Unit	US Gallon
Accuracy	+/-1.5% within normal flow as per AWWA Standard
Certification	Conforms to both AWWA C708 and ISO 4064 Class B
Max Water Temperature	122°F (50°C)
Couplings	Included
Meter Body	Bronze
Size	Length without couplings: 4.13 inches Length with couplings: 8.23 inches
Flow Rate	Maximum Flow Rate: 20 GPM Maximum Continuous Flow Rate: 10 GPM Minimum Flow Rate: 1/4 GPM (The meter may be damaged if your Continuous flow is more than 10 GPM.)
Pressure Drop	0.54 psi @ 5 GPM, 2 psi @ 10 GPM

[Feature]

- Mount: vertically, dial facing upwards, water flowing upwards. For water flowing downwards, please refer to DAE Positive Displacement Water Meter VM-75P or PD-75 which will be able to be installed in any position, vertically or horizontally, dial facing upwards or downwards or side-way, water flowing downwards or upwards.
- DAE V-75n 5/8"*3/4" meter is not a meter with a 5/8" inlet and a 3/4" outlet. It is with 3/4" NPT couplings for both 3/4" inlet and 3/4" outlet.
- Max.Reading:9,999,999 gallons, Min.Reading:0.005 gallons. The 1st digit from the right has a multiplier of 100 gallons. For example, if you see 01234 on the digits, it is 123400 gallons. The 1st dial under the digits has a multiplier of 10 gallons. The 2nd dial under the digits is in gallon. Reading on 2nd picture of listing is 28.925 gallons.
- Max. working pressure is 232 psi, exceeding the requirement from AWWA standard 150 psi.
- 2 years warranty from the seller.

[Remote Reading Solutions]

- For upgraded V-75Pn, option available for Cloud Metering available (2nd picture) with DAE CC2030 Gateway. CC2030 will collect water usage from DAE AMR (for 16 water meters with Pulse Output) or DAE AMR130 (for 1 meter) and send them to the cloud (DAE server) through Ethernet. With PC or cell phone, the landlords will be able to see real time data and monthly water usage & billing reports to their tenants. If there is abnormal usage (ex. Broken piping), an email alert will be sent to your cell phone automatically.
- For upgraded V-75Pn, option available for V-75Pn to use with CO-10 KIT or CO-10 Electronic Pulse Counter - An inexpensive remote reading solution Please refer to 4th picture.
- Option available for wireless remote reading available with DAE RF converters. Please refer to 6th picture.



[Picture 1]



[Picture 2]



[Picture 3]

Remote Reading with Pulse Counter

An Inexpensive Solution

Note: Only meters with pulse output like AS200U-75P are eligible to be connected to CO-10.

Electronic Pulse Counter CO-10



info@daecontrols.com, (248) 635 3708, www.daecontrols.com

[Picture 4]

Cloud System Architecture


Water Meters



info@daecontrols.com, (248) 635 3708, www.daecontrols.com

[Picture 5]

Wireless Cloud System Architecture - Water



※One Gateway can support 20 meters.
info@daecontrols.com, (248) 635 3708, www.daecontrols.com

[Picture 6]